

**Roza Irrigation District**  
**125 South 13th Street Sunnyside, WA 98944**  
**Phone: (509) 837-5141 Fax: (509) 836-4807**

## Notification of Aquatic Herbicide Treatments

WAG-991008A

### Roza Lateral Treatment Sites

Application Date	Treatment Site	Location Description	Herbicide
Tuesday, 5-5-2020	Pump 1H HW	46.667264 -120.469698	Copper Sulfate
Tuesday, 5-5-2020	Pump 1H-3	46.682631 -120.449888	Copper Sulfate
Tuesday, 5-5-2020	Pump 1H #18b	46.692400 -120.453429	Copper Sulfate
Tuesday, 5-5-2020	Pump 2HR HW	46.591795 -120.379874	Copper Sulfate
Tuesday, 5-5-2020	Pump 2HR #8	46.582686 -120.355799	Copper Sulfate
Tuesday, 5-5-2020	Pump 2HL HW	46.591824 -120.379940	Copper Sulfate
Tuesday, 5-5-2020	Pump 2HL #8C	46.601691 -120.395447	Copper Sulfate
Tuesday, 5-5-2020	Pump 2LR HW	46.585096 -120.384633	Copper Sulfate
Tuesday, 5-5-2020	Pump 2LR #8	46.576820 -120.366757	Copper Sulfate
Tuesday, 5-5-2020	Pump 2LL HW	46.585130 -120.384733	Copper Sulfate
Tuesday, 5-5-2020	Pump 2LL #7	46.591726 -120.395308	Copper Sulfate
Tuesday, 5-5-2020	Pump 3HR HW	46.546868 -120.290593	Copper Sulfate
Tuesday, 5-5-2020	Pump 3HR #9	46.534541 -120.262788	Copper Sulfate
Tuesday, 5-5-2020	Pump 3HL HW	46.546908 -120.290592	Copper Sulfate
Tuesday, 5-5-2020	Pump 3HL #3	46.556687 -120.296386	Copper Sulfate
Tuesday, 5-5-2020	Pump 3LR HW	46.545225 -120.302357	Copper Sulfate
Tuesday, 5-5-2020	Pump 9AR #6	46.405996 -120.025376	Copper Sulfate
Tuesday, 5-5-2020	Pump 9AR #8	46.403477 -120.019755	Copper Sulfate
Tuesday, 5-5-2020	Pump 9AR HW	46.407413 -120.047367	Copper Sulfate